



## Para NB - Sport & Recreation Facility Accessibility Checklist

This checklist is designed by Para NB - Sport & Recreation to provide guidelines to assist organizations in New Brunswick who deliver para sport & recreation events/activities at various facilities throughout the province. The items in the checklist should be considered when reviewing the site of any potential facility prior to a tournament, clinic or para sport & recreation activity to allow for maximum attendance and participation, and the successful delivery of the activity.

Facility: \_\_\_\_\_ Location: \_\_\_\_\_

Clinic/event/program offered: \_\_\_\_\_

Please place an "X" in the boxes that apply to indicate the accessibility options available at this facility.

### Parking

### Signage

Facility offers accessible parking spaces.	<input type="checkbox"/>	The designated parking spaces have the International Symbol of Access (ISA) painted on the surface and vertically mounted.	<input type="checkbox"/>
The number of designated parking spaces meets the bylaw/regulation requirement for width, length and number of spaces at the facility.	<input type="checkbox"/>	There is signage with the International Symbol of Access in place to identify the location of a barrier-free entrance to the building.	<input type="checkbox"/>
The surface of the designated parking space is firm, stable, slip resistant and level.	<input type="checkbox"/>	There is an exterior sign directing people to the accessible entrance.	<input type="checkbox"/>
The designated parking spaces are located close to the entrance curb cut or cross walk.	<input type="checkbox"/>	The location of the elevator is clearly marked (e.g., directional signage).	<input type="checkbox"/>
The parking spaces are located within 50 meters of the accessible entrance.	<input type="checkbox"/>	Accessible washrooms are clearly marked (e.g., directional signage, ISA marked near doors).	<input type="checkbox"/>

### Exterior

### Entrance

The path of travel has a width not less than 1100 mm or where adjacent to a curb ramp, not less than 1200 mm.	<input type="checkbox"/>	There is a level pathway, or a ramp with a slope no more than 1 in 12 and a maximum length of 900 cm to the primary entrance of the facility.	<input type="checkbox"/>
There is a level pathway from the parking area to the accessible entrance.	<input type="checkbox"/>	The ramp located in the barrier-free path of travel has a width of at least 1066.8 mm between handrails.	<input type="checkbox"/>
All the curbs along the route are cut.	<input type="checkbox"/>	The entrance doorway is at least 1066.8 mm wide when in the wide open position.	<input type="checkbox"/>
The path of travel to the ramp or the door are barrier-free and clear of obstructions (e.g., steps, abrupt changes in level, hills, pot holes, snow, ice, garbage cans).	<input type="checkbox"/>	There is a clear, firm, level area of 1500 mm by 1500 mm at the top and bottom of the entrance or ramp. The mats at the entrance are secure.	<input type="checkbox"/>
The surface of the route is firm, slip resistant, continuous and well lit.	<input type="checkbox"/>	The entrance has no more than a sill or bump of 13 mm.	<input type="checkbox"/>
There is a level drop off area for those using public transportation (to allow other vehicles to circulate while loading/unloading).	<input type="checkbox"/>	The accessible entrance door opens by using low pressure. (power door opener, lever handles, or push plate/pull handles).	<input type="checkbox"/>

### Interior Routes

### Food & beverage areas

There is a minimum width of 1066.8 mm clear pathway to all areas of the facility, including in aisles.		The facility has a food and beverage area.	
Inside doors have a width of at least 1066.8 mm when in the wide open position.		There are removable chairs at the tables.	
A wheelchair or power scooter user can access all areas and amenities within the facility (e.g., restaurants, pool, meeting rooms, activities, levels).		The knee clearance underneath tables is at least 685 mm high X 760 mm wide X 485 mm deep.	
All interior doors require low pressure to open or are operable with a power door opener, lever handles, or push plate/pull handles.		The food and beverage area has an accessible patio/outdoor space that has a level route or ramp (slope no greater than 1:12) and is barrier-free.	

### Washrooms

There are designated accessible washrooms provided at the facility with at least one stall that provides a clear opening of at least 990 mm wide when in the open position.		The barrier-free washroom has a sink rim that is no more than 865 mm above the floor and a clearance of at least 760 mm wide, 735 mm high at the front edge and 684 mm high at a point of 205 mm back from the front edge.	
The accessible washrooms are easily accessed by a level route.		The barrier-free stall is equipped with an outward swinging door that has a pull on the outside.	
The main washroom door opens with low pressure using a power door opener, lever handles, or push plate/pull handles.		The locking mechanism is operable with a closed fist and located at least 900 mm and not more than 1000 mm above the floor.	
The main door and accessible stall doors have a clear width not less than 800 mm when door is in wide open position.		The stall has an internal dimension of at least 1700 mm between the walls and designed to allow a wheelchair to turn in an open space of at least 1500 mm X 1500 mm.	
There is a soap dispenser and towel dispenser/hand drying equipment that are not more than 1200 mm above the floor and close to the sink that are accessible to persons in a sitting position.		The lavatory has faucets and other controls that have operable automatic sensors or levers-type handles that are at least 75 mm long and are not spring-loaded.	
There is a clear floor space and a stall is equipped with grab bars that are mounted horizontally on the side wall closest to the toilet to allow for a lateral transfer		The barrier free stall is at least 1500 mm wide by 1500 mm deep to provide for ample maneuvering space inside the stall.	

### Outdoor Activities

There are accessible paths of travel from the inside if activities are held outdoors (Barrier-free).	
There is a nearby accessible location for warming up.	
Outdoor activities have level, clear pathways or ramped sidewalks to activity location.	
There are accessible washroom facilities provided close to the outdoor activity and they are easily accessed by a level route.	

Please indicate any additional accessibility options:

- |   |  |
|---|--|
| <input type="checkbox"/> Removable chairs and open spaces available in seating areas (waiting areas, viewing areas) | <input type="checkbox"/> Zero level entry into the pool area |
| <input type="checkbox"/> Zero level entry to facility   | <input type="checkbox"/> Ramp to get in and out of water     |
| <input type="checkbox"/> Wheel-in showers   | <input type="checkbox"/> Access to TTY telephones            |
|   | <input type="checkbox"/> Flashing fire alarms                |
|   | <input type="checkbox"/> Braille provided for signage        |

Please indicate any adapted equipment available at the facility:

- |  |   |
|--|---|
| <input type="checkbox"/> Sledges                     | <input type="checkbox"/> Colored balls                        |
| <input type="checkbox"/> Protective head and eyewear | <input type="checkbox"/> Lines on the court are bright colors |
| <input type="checkbox"/> Sport specific wheelchairs  | <input type="checkbox"/> Transfer chairs                      |
| <input type="checkbox"/> Other _____                 |   |

Additional Comments:

---



---



---



---